



**ZEPHYR**

Version 12 / GB  
102000011988

1/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** ZEPHYR  
**Product code (UVP)** 85361503  
**UFI** J8C0-G061-R00U-GMDU (for Northern Ireland only)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
CB4 0WB Cambridge  
United Kingdom

**Telephone** +44(0)1223 226500

**Telefax** +44(0)1223 426240

**FOR IRELAND & NORTHERN IRELAND:** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
Co. Dublin  
A94 H2K7  
Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

**1.4 Emergency telephone no.**

**Emergency telephone no.** 0330 678 3382 (24 hr)

For Medical Professionals:  
You can also contact the relevant NPIS.

For Members to the Public:  
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)

National Poisons Information Centre UK: 0344 892 0111  
National Poisons Information Centre Dublin: +353 1 809 2166



## ZEPHYR

Version 12 / GB  
102000011988

2/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Effects on or via lactation:

H362 May cause harm to breast-fed children.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Trifloxystrobin
- Prothioconazole



**Signal word:** Warning

### Hazard statements

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

H362 May cause harm to breast-fed children.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P410 Protect from sunlight.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**ZEPHYR**Version 12 / GB  
102000011988

3/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).  
This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Ecological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Toxicological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)  
Prothioconazole/Trifloxystrobin 175:88 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	16.30
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Lact. H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	8.20
Fatty alcohol polyglycol ether	61791-13-7	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	>= 3.0 – < 25.0
1,2-Benzisothiazol-3(2H)-one	2634-33-5 01-2120761540-60-0003	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.0036 – < 0.036
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 – < 0.0015
1,2-Propanediol	57-55-6	Not classified	> 1.0

**ZEPHYR**Version 12 / GB  
102000011988

4/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

01-2119456809-23-XXXX

**Further information**

1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	SCL: Skin Sens. 1; H317: SCL $\geq$ 0.036 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL $\geq$ 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL $\geq$ 0.0015 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL $\geq$ 0.6 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.



**ZEPHYR**

Version 12 / GB  
102000011988

5/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

---

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Hydrogen fluoride

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**ZEPHYR**Version 12 / GB  
102000011988

6/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

<b>Additional advice</b>	Check also for any local site procedures.
<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	HDPE (high density polyethylene)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup> (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	2007	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m <sup>3</sup> /150 ppm (TWA)	2007	EH40 WEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**ZEPHYR**Version 12 / GB  
102000011988

7/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

**Personal protective equipment**

Formulated product

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	suspension
<b>Colour</b>	white to beige
<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available

**ZEPHYR**Version 12 / GB  
102000011988

8/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

<b>Flammability</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	No flash point - Determination conducted up to the boiling point.
<b>Auto-ignition temperature</b>	415 °C
<b>Self-accelerating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	5.5 - 7.0 (100 %) (23 °C)
<b>Viscosity, dynamic</b>	200 - 320 mPa.s (20 °C) Velocity gradient 20 /s 100 - 150 mPa.s (20 °C) Velocity gradient 100 /s
<b>Viscosity, kinematic</b>	86.6 mm <sup>2</sup> /s (20 °C) Shear rate of 100/sec
	98.2 mm <sup>2</sup> /s (40 °C) Shear rate of 100/sec
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Trifloxystrobin: log Pow: 4.5 (25 °C) Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)
<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.08 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available
<b>9.2 Other information</b>	
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Explosivity</b>	Not explosive
<b>Oxidizing properties</b>	No oxidizing properties
<b>Evaporation rate</b>	No data available
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY**

**ZEPHYR**Version 12 / GB  
102000011988

9/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

---

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>	LD50 (Rat) $\geq$ 5,000 mg/kg Test conducted with a similar formulation.
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 2.189 mg/l Exposure time: 4 h Highest attainable concentration. Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 4,000 mg/kg Test conducted with a similar formulation.
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit) Test conducted with a similar formulation.
<b>Serious eye damage/eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

**Assessment STOT Specific target organ toxicity – single exposure**

Prothioconazole: Based on available data, the classification criteria are not met.  
Trifloxystrobin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.  
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

**ZEPHYR**Version 12 / GB  
102000011988

10/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

**Assessment developmental toxicity**

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

No further toxicological information is available.

**11.2 Information on other hazards****Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.13 mg/l  
Exposure time: 96 h  
Test conducted with a similar formulation.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 0.08275 mg/l  
Exposure time: 48 h

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient trifloxystrobin.

**Toxicity to aquatic plants**

ErC50 (Raphidocelis subcapitata (freshwater green alga)) 0.9646 mg/l  
Growth rate; Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)) 0.1431 mg/l  
Growth rate; Exposure time: 96 h

ErC50 (Skeletonema costatum) 0.03278 mg/l  
Exposure time: 72 h



## ZEPHYR

Version 12 / GB  
102000011988

11/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

### 12.2 Persistence and degradability

#### Biodegradability

Trifloxystrobin:

Not rapidly biodegradable

Prothioconazole:

Not rapidly biodegradable

#### Koc

Trifloxystrobin: Koc: 2377

Prothioconazole: Koc: 1765

### 12.3 Bioaccumulative potential

#### Bioaccumulation

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

### 12.4 Mobility in soil

#### Mobility in soil

Trifloxystrobin: Slightly mobile in soils

Prothioconazole: Slightly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

#### Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Additional ecological information

No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part



**ZEPHYR**

Version 12 / GB  
102000011988

12/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

of the Environment Agency in the UK).

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Follow advice on product label and/or leaflet.

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

**UK 'Carriage' Regulations**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z



## ZEPHYR

Version 12 / GB  
102000011988

13/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

---

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

#### Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

#### Further information

WHO-classification: III (Slightly hazardous)

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

**ZEPHYR**Version 12 / GB  
102000011988

14/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be



**ZEPHYR**

Version 12 / GB  
102000011988

15/15

Revision Date: 04.12.2024  
Print Date: 19.03.2025

---

updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.