SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name	INFINITO
Product code (UVP)	80870612
UFI	5UQ0-T0CN-300N-SQ2J (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier	Bayer CropScience Limited PO Box 1582 CB1 0FE Cambridge United Kingdom
Telephone	+44(0)1223 226500
FOR NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland
Telephone	+353 1 216 3300
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no.	0330 678 3382 (24 hr) For Medical Professionals: You can also contact the relevant NPIS. For Members to the Public: You can contact NHS111 (for GB) or your local GP (for Northern Ireland) National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended. (CLP Regulation including Northern Ireland)

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 2
H411 Toxic to aquatic life with long lasting effects.

Persistent, mobile and toxic:
EUH450 Can cause long-lasting and diffuse contamination of water resources.

Classification according to UK/GB regulations

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 2
H411 Toxic to aquatic life with long lasting effects.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended. (CLP Regulation including Northern Ireland)

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Propamocarb hydrochloride
- Fluopicolide

Signal word: Danger

Hazard statements

H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.
EUH450 Can cause long-lasting and diffuse contamination of water resources.
EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

Labelling according to UK/GB regulations

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Propamocarb hydrochloride
- Fluopicolide

Signal word: Danger

Hazard statements

H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Product contains substances which are persistent, mobile, and toxic (PMT).
Product does not contain substances that are very persistent and very mobile (vPvM) 0.1 % or higher.

Propamocarb hydrochloride: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)

or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)
Propamocarb hydrochloride/Fluopicolide 625:62,5 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Propamocarb hydrochloride	25606-41-1	Skin Sens. 1, H317	55.3
Fluopicolide	239110-15-7 607-285-6	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410 PMT EUH450	5.53

Further information

Fluopicolide	239110-15-7	M-Factor: 10 (acute), 1 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: lethargy, ataxia, Convulsions Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product, although being a carbamate, is NOT a cholinesterase inhibitor.
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Contraindication: atropine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
Additional advice	Check also for any local site procedures.
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Protect from freezing. Keep containers tightly closed in a dry, cool and well-ventilated place.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb hydrochloride	25606-41-1	1.1 mg/m3 (TWA)		OES BCS*
Fluopicolide	239110-15-7	2.2 mg/m3 (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment)

Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment
In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection
Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection
Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection
Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	beige
Odour	ester-like
Odour Threshold	No data available

Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	Not relevant; aqueous solution
Auto-ignition temperature	420 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	5.0 - 8.5 (100 %) (23 °C)
Viscosity, dynamic	150 - 700 mPa.s (20 °C) Velocity gradient 20 /s
Viscosity, kinematic	No data available
Water solubility	dispersible
Partition coefficient: n-octanol/water	Propamocarb hydrochloride: log Pow: -1.2 Fluopicolide: log Pow: 2.9(pH 7)
Surface tension	31 mN/m (20 °C)
Vapour pressure	No data available
Density	ca. 1.13 g/cm³ (20 °C)
Relative density	1.130 (20 °C)
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms.
Particle size	No data available

9.2 Other information

Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 3.195 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol. No deaths Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Propamocarb hydrochloride: Based on available data, the classification criteria are not met.
Fluopicolide: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb hydrochloride did not cause specific target organ toxicity in experimental animal studies.
Fluopicolide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Propamocarb hydrochloride was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Propamocarb hydrochloride was not carcinogenic in lifetime feeding studies in rats and mice. Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Propamocarb hydrochloride did not cause reproductive toxicity in a two-generation study in rats. Fluopicolide Developmental effects in rats and rabbits only occurred at high doses which caused maternal toxicity.

Assessment developmental toxicity

Propamocarb hydrochloride caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb hydrochloride are related to maternal toxicity. Fluopicolide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 6.6 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Chronic toxicity to fish	Pimephales promelas (fathead minnow) Early-life Stage NOEC: 0.155 mg/l Exposure time: 33 d The value mentioned relates to the active ingredient fluopicolide.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 100 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 0.19 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient fluopicolide. EC10 (Mysids (Americamysis bahia)): 0.18 mg/l Life Cycle; The value mentioned relates to the active ingredient

fluopicolide.

Toxicity to aquatic plants	EC50 (Navicula pelliculosa (Freshwater diatom)) 0.89 mg/l Growth rate; Exposure time: 72 h Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability	Propamocarb hydrochloride: rapidly biodegradable Fluopicolide: Not rapidly biodegradable
Koc	Propamocarb hydrochloride: Koc: 719 Fluopicolide: Koc: 321

12.3 Bioaccumulative potential

Bioaccumulation	Propamocarb hydrochloride: Does not bioaccumulate. Fluopicolide: Bioconcentration factor (BCF) 121 Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil	Propamocarb hydrochloride: mobile in soil Fluopicolide: mobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Propamocarb hydrochloride: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information	PMT and vPvM assessment: Product contains substances which are persistent, mobile, and toxic (PMT). Product does not contain substances that are very persistent and very mobile (vPvM) 0.1 % or higher.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Do not empty into drains. Dispose of unused product in its container at a household waste site (civic amenity site). Contact your local council (local authority) for details.
Contaminated packaging	Dispose of empty container in the dustbin. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user
See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments
No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

EUH450	Can cause long-lasting and diffuse contamination of water resources.
H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.
It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.
The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.
The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.
No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.