## **ATLANTIS OD**

Version 8 / GB 10200008429 1/16 Revision Date: 12.12.2024 Print Date: 21.01.2025

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Trade name	ATLANTIS OD	
Product code (UVP)	06268129	
UFI	GSN0-N0T3-R00S-WH30 (for Northern Ireland only)	
1.2 Relevant identified uses	of the substance or mixture and uses advised against	
Use	Herbicide	
1.3 Details of the supplier of Supplier	<b>the safety data sheet</b> Bayer CropScience Limited 230 Cambridge Science Park Milton Road CB4 0WB Cambridge United Kingdom	
Telephone	+44(0)1223 226500	
Telefax	+44(0)1223 426240	
FOR IRELAND & NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland	
Telephone	+353 1 216 3300	
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com	
1.4 Emergency telephone no		
Emergency telephone no.	0330 678 3382 (24 hr)	
	For Medical Professionals: You can also contact the relevant NPIS.	
	For Members to the Public: You can contact NHS111 (for GB) or your local GP (for Northern Ireland)	
	National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166	

### **ATLANTIS OD**

Version 8 / GB 10200008429 2/16 Revision Date: 12.12.2024 Print Date: 21.01.2025

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2 H319 Causes serious eye irritation.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

- Mesosulfuron-methyl, sodium salt
- Iodosulfuron-methyl-sodium
- Mefenpyr-diethyl
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene
- Solvent Naphtha (petroleum), light aromatic

#### Signal word: Warning

#### **Hazard statements**

H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains fatty alcohol ethoxylate alkyl ether. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for
	use.

#### **Precautionary statements**

- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P391 Collect spillage.
- P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

ATLANTIS OD	3/16
Version 8 / GB	Revision Date: 12.12.2024
10200008429	Print Date: 21.01.2025

Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent, bioaccumulative and toxic (PBT).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### **Chemical nature**

Oil dispersion (OD) Mesosulfuron-methyl/lodosulfuron-methyl-sodium/Mefenpyr-diethyl 10:2:30 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
	REA011 Reg. No.	1212/2000	
Hezerd statements asserting to Regulation (EC) No. 1272/2009			

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 1 - < 2.5
lodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.1 - < 0.25
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	>= 2.5 - < 10
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	>= 30 - < 50
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	>= 10 - < 20

## **ATLANTIS OD**

Version 8 / GB 10200008429 4/16 Revision Date: 12.12.2024 Print Date: 21.01.2025

Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	>= 3 - < 10
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411	>= 2.5 - < 10
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.04
lodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.22
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	3.00
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 01-2119451097-39-XXXX	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 25.00
Solvent Naphtha (petroleum), light aromatic	64742-95-6 01-2119455851-35-xxxx	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 2.00 - < 5.00
Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 5.00 - < 10.00
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	> 10.00 - < 20.00
1,2,4-trimethylbenzene	95-63-6	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	> 1.00 - < 5.00

#### **Further information**

Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)
lodosulfuron-methyl- sodium	144550-36-7	M-Factor: 1,000 (acute)
Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)
lodosulfuron-methyl- sodium	144550-36-7	M-Factor: 1,000 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **Particle characteristics**

This substance/ mixture does not contain nanoforms

## ATLANTIS OD

Version 8 / GB 10200008429 5/16 Revision Date: 12.12.2024 Print Date: 21.01.2025

#### **SECTION 4: FIRST AID MEASURES**

4.1 Description of first aid measures		
General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.	
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.	
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth. Call a physician or poison control center immediately. To prevent aspiration of swallowed product, lay in stable position on one side.	
4.2 Most important symptoms	s and effects, both acute and delayed	
Symptoms	Headache, Nausea, Dizziness, Somnolence	
	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
	Aspiration may cause pulmonary oedema and pneumonitis.	
	Inhalation may provoke the following symptoms:	
	Cough, Shortness of breath, Cyanosis, Fever	
	Symptoms and hazards refer to the solvent.	
4.3 Indication of any immedia	te medical attention and special treatment needed	
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.	
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.	

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
-------------------------	--

Suitable	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide (CO2)
Unsuitable	High volume water jet

ATLANTIS OD	6/16
Version 8 / GB	Revision Date: 12.12.2024
10200008429	Print Date: 21.01.2025

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride (HCl), Hydrogen iodide (HI)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.	
Additional advice	Check also for any local site procedures.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

ATLANTIS OD	7/16
Version 8 / GB	Revision Date: 12.12.2024
10200008429	Print Date: 21.01.2025

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost. Protect from freezing.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	Coex HDPE/EVOH/HDPE
7.3 Specific end use(s)	Refer to the label and/or leaflet.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m3 (TWA)		OES BCS*
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
1,2,4-trimethylbenzene	95-63-6	125 mg/m3/25 ppm (TWA)	01 2020	EH40 WEL
Mesosulfuron-methyl	208465-21-8	10 mg/m3 (TWA)		OES BCS*
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

ATLANTIS OD Version 8 / GB 102000008429		8/16 Revision Date: 12.12.2024 Print Date: 21.01.2025
		aminated. Dispose of when contaminated or when contamination outside cannot be Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conformir	ng to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	beige to pink
Odour	aromatic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	93 °C
Auto-ignition temperature	No data available
Ignition temperature	405 °C (1,021 hPa)
Self-accelarating decomposition temperature (SADT)	No data available
рН	7.0 - 8.5 (10 %) (23 °C) (deionized water)
Viscosity, dynamic	30 - 150 mPa.s (20 °C) Velocity gradient 20 /s

ATLANTIS OD Version 8 / GB 102000008429	<b>9/16</b> Revision Date: 12.12.2024 Print Date: 21.01.2025
	25 - 100 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	78 mm²/s (40 °C) Shear rate of 20/sec
	38 mm²/s (40 °C) Shear rate of 100/sec
Water solubility	dispersible
Partition coefficient: n- octanol/water	Mesosulfuron-methyl: log Pow: -0.48
	lodosulfuron-methyl-sodium: log Pow: -0.7
	Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Surface tension	29.9 mN/m (40 °C) Determined in the undiluted form.
Vapour pressure	No data available
Density	ca. 1.00 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

#### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

10/16
Revision Date: 12.12.2024
Print Date: 21.01.2025

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

#### SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) >= 5,000 mg/kg
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

#### Assessment STOT Specific target organ toxicity - single exposure

Mesosulfuron-methyl: Based on available data, the classification criteria are not met. lodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. lodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

#### ATLANTIS OD Version 8 / GB

102000008429

**11/16** Revision Date: 12.12.2024 Print Date: 21.01.2025

Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

12.1 IOXICITY	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 8.83 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 7.6 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga))  6.71 mg/l Exposure time: 72 h
	EC50 (Lemna gibba (gibbous duckweed))  88.4 µg/l Exposure time: 7 d
12.2 Persistence and degradability	
Biodegradability	Mesosulfuron-methyl: Not rapidly biodegradable lodosulfuron-methyl-sodium: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable
Кос	Mesosulfuron-methyl: Koc: 347; log Koc: 2.54 lodosulfuron-methyl-sodium: Koc: 45 Mefenpyr-diethyl: Koc: 625
12.3 Bioaccumulative potential	
Bioaccumulation	Mesosulfuron-methyl: On the basis of the partition coefficient n-octanol/water (log pOW) no accumulation in organisms is expected. lodosulfuron-methyl-sodium: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.

ATLANTIS OD Version 8 / GB 102000008429	<b>12/16</b> Revision Date: 12.12.2024 Print Date: 21.01.2025
12.4 Mobility in soil	
Mobility in soil	Mesosulfuron-methyl: Moderately mobile in soils Iodosulfuron-methyl-sodium: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
12.5 Results of PBT and vPv	B assessment
PBT and vPvB assessment	Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). lodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Endocrine disrupting p	roperties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	<ul> <li>Small containers (&lt; 10 l or &lt; 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.</li> <li>Add washings to sprayer at time of filling.</li> <li>Dispose of empty and cleaned packaging safely.</li> <li>Large containers (&gt; 25 l or &gt; 25 kg) should not be rinsed or re-used for any other purpose.</li> <li>Return large containers to supplier.</li> <li>Follow advice on product label and/or leaflet.</li> </ul>

#### **SECTION 14: TRANSPORT INFORMATION**

ADR/RID/ADN

ATLANTIS OD	13/16
Version 8 / GB	Revision Date: 12.12.2024
10200008429	Print Date: 21.01.2025

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM, MESOSULFURON- METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM, MESOSULFURON- METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION) 9 III YES
IATA 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM, MESOSULFURON- METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION ) 9 III YES
UK 'Carriage' Regulations 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark Emergency action code	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM, MESOSULFURON- METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION) 9 III YES 3Z

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

### **ATLANTIS OD**

Version 8 / GB 10200008429 **14/16** Revision Date: 12.12.2024 Print Date: 21.01.2025

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

#### Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

#### **Further information**

WHO-classification: III (Slightly hazardous)

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Version 8 / GB 10200008429

**15/16** Revision Date: 12.12.2024 Print Date: 21.01.2025

H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN EU	European Standard
IATA	European Union International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
IDC	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

## ATLANTIS OD

Version 8 / GB 10200008429 **16/16** Revision Date: 12.12.2024 Print Date: 21.01.2025

Changes since the last version are highlighted in the margin. This version replaces all previous versions.