

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

1/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name NATIVO 75 WG
Product code (UVP) 06418015, 86196042
UFI M3C0-F0T8-400U-5X7Q (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
CB4 0WB Cambridge
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

FOR IRELAND & NORTHERN IRELAND: Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
Co. Dublin
A94 H2K7
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:
You can also contact the relevant NPIS.

For Members to the Public:
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)

National Poisons Information Centre UK: 0344 892 0111
National Poisons Information Centre Dublin: +353 1 809 2166

NATIVO 75 WG

Version 10 / GB
102000011273

2/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Effects on or via lactation:

H362 May cause harm to breast-fed children.

Short-term (acute) aquatic hazard: Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Tebuconazole
- Trifloxystrobin

Signal word: Warning

Hazard statements

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

EUH208 Contains Trifloxystrobin. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

SAFETY DATA SHEET

 according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

3/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

No additional hazards known beside those mentioned.

Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)

Trifloxystrobin/Tebuconazole 25:50 % w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Lact. H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	25.00
Tebuconazole	107534-96-3	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	50.00
Alkylaryl sulfonate	91078-64-7 01-2119985167-25-XXXX	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 1.00 – < 25.00
Methylene-linked condensation product of arylsulphonic, sodium salts	90387-57-8	Aquatic Chronic 3, H412	> 1.00 – < 25.00
Kaolin	1332-58-7	Not classified	> 1.00
Crystalline quartz (respirable)	14808-60-7		< 1

Further information

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

4/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

5/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released:., Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

6/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

Suitable materials Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2 mg/m ³ (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0.4 mm

Protective index Class 6

Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

7/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	white to light beige
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	The product is not highly flammable.
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Ignition temperature	280 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	7.0 - 9.0 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Water solubility	dispersible
Partition coefficient: n-octanol/water	Tebuconazole: log Pow: 3.7 Trifloxystrobin: log Pow: 4.5 (25 °C)
Vapour pressure	No data available
Density	No data available
Relative density	No data available
Bulk density	ca. 0.55 g/ml (bulk density tapped)
Relative vapour density	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

8/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

Assessment nano particles This substance/ mixture does not contain nanoforms

9.2 Other information

Impact sensitivity	Not impact sensitive.
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) \geq 5,000 mg/kg
Acute inhalation toxicity	Not relevant because of low dust formation.
Acute dermal toxicity	LD50 (Rat) $>$ 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.
Trifloxystrobin: Based on available data, the classification criteria are not met.

NATIVO 75 WG

Version 10 / GB
102000011273

9/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.
Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.
Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.064 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	LC50 (Daphnia magna (Water flea)) 0.0138 mg/l Exposure time: 48 h
	LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient trifloxystrobin.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

10/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

Chronic toxicity to aquatic invertebrates NOEC (Daphnia (water flea)): 0.010 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) > 0.150 mg/l
Growth rate; Exposure time: 72 h

(Lemna gibba (gibbous duckweed)) 0.237 mg/l
Growth rate; Exposure time: 7 d
The value mentioned relates to the active ingredient tebuconazole.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.

12.2 Persistence and degradability

Biodegradability Tebuconazole:
Not rapidly biodegradable
Trifloxystrobin:
Not rapidly biodegradable

Koc Tebuconazole: Koc: 769
Trifloxystrobin: Koc: 2377

12.3 Bioaccumulative potential

Bioaccumulation Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.
Trifloxystrobin: Bioconcentration factor (BCF) 431
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tebuconazole: Slightly mobile in soils
Trifloxystrobin: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

11/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

12/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

UK 'Carriage' Regulations

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

NATIVO 75 WG

Version 10 / GB
102000011273

13/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

NATIVO 75 WG

Version 10 / GB
102000011273

14/14

Revision Date: 12.12.2024
Print Date: 22.01.2025

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--