OTHELLO	1/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Trade name	OTHELLO	
Product code (UVP)	06352391	
UFI	5GP0-Q0A9-600R-67RH (for Northern Ireland only)	
1.2 Relevant identified uses of	of the substance or mixture and uses advised against	
Use	Herbicide	
1.3 Details of the supplier of t Supplier	the safety data sheet Bayer CropScience Limited 230 Cambridge Science Park Milton Road CB4 0WB Cambridge United Kingdom	
Telephone	+44(0)1223 226500	
Telefax	+44(0)1223 426240	
FOR IRELAND & NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland	
Telephone	+353 1 216 3300	
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com	
1.4 Emergency telephone no.		
Emergency telephone no.	0330 678 3382 (24 hr)	
	For Medical Professionals: You can also contact the relevant NPIS.	
	For Members to the Public: You can contact NHS111 (for GB) or your local GP (for Northern Ireland)	
	National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166	

OTHELLO

Version 6 / GB 102000011533 2/15 Revision Date: 12.12.2024 Print Date: 22.01.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2 H319 Causes serious eye irritation.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Diflufenican
- Mesosulfuron-methyl, sodium salt
- lodosulfuron-methyl-sodium
- Mefenpyr-diethyl

Signal word: Warning

Hazard statements

H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains fatty alcohol ethoxylate alkyl ether. May produce an allergic reaction.
EUHZUO	Contains faity alcohol ethoxylate alkyl ether. May produce an anergic reaction.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P305 + P351IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

OTHELLO	3/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuronmethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuronmethyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyrdiethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very bioaccumulative (vPvB). Mefenpyrdiethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD) Diflufenican/Mesosulfuron-methyl/lodosulfuron-methyl-sodium/Mefenpyr-diethyl 50:7.5:2.5:22.5 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Diflufenican	83164-33-4	Aquatic Chronic 1, H410 Aquatic Acute 1, H400	5.21
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.82
lodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.29
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	2.35
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	> 2.50 - < 25.00
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Carc. 1B, H350 Aquatic Chronic 2, H411	> 2.50 - < 25.00

amended

OTHELLO

OTHELLO	4/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 5.00 - < 10.00
Calcium diformate	544-17-2 01-2119486476-24-XXXX	Eye Dam. 1, H318	> 3.00 - < 10.00
White mineral oil	8042-47-5 01-2119487078-27-XXXX	Asp. Tox. 1, H304	> 10.00

Further information

Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)
lodosulfuron-methyl- sodium	144550-36-7	M-Factor: 1,000 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.	
Inhalation	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.	
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.	
4.2 Most important symptoms	s and effects, both acute and delayed	
Symptoms	No symptoms known or expected.	
4.3 Indication of any immediate medical attention and special treatment needed		
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.	
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.	

OTHELLO Version 6 / GB 102000011533

5/15 Revision Date: 12.12.2024 Print Date: 22.01.2025

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media		
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable	High volume water jet	
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Hydrogen iodide (HI), Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides, Nitrogen oxides (NOx)	
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.	
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures **Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition. Do not allow to get into surface water, drains and ground water. If 6.2 Environmental precautions spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060). 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. Additional advice Check also for any local site procedures. 6.4 Reference to other Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. sections Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

OTHELLO	6/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
7.2 Conditions for safe storage, including any incompatibilities	
Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diflufenican	83164-33-4	5.5 mg/m3 (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m3 (TWA)		OES BCS*
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

OTHELLO	7/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be

	removed. Material Rate of permeability Glove thickness Protective index Directive	Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	 Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer. 	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
FOIII	Liquiu
Colour	light beige
Odour	aromatic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	96 °C
Auto-ignition temperature	320 °C

Self-accelarating No data available decomposition temperature (SADT)

OTHELLO Version 6 / GB 102000011533	8/15 Revision Date: 12.12.2024 Print Date: 22.01.2025
рН	6.7 - 7.5 (10 %) (23 °C) (deionized water)
Viscosity, dynamic	50 - 300 mPa.s (20 °C) Velocity gradient 20 /s 40 - 150 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Water solubility	emulsifiable
Partition coefficient: n- octanol/water	Diflufenican: log Pow: 4.2
	Mesosulfuron-methyl: log Pow: -0.48
	lodosulfuron-methyl-sodium: log Pow: -0.7
	Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Vapour pressure	No data available
Density	ca. 0.96 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	No data available
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

amended

OTHELLO	9/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) >5,000 mg/kg
Acute dermal toxicity	LD50 (Rat) >4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Diflufenican: Based on available data, the classification criteria are not met. Mesosulfuron-methyl: Based on available data, the classification criteria are not met. Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies. Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice. Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Diflufenican did not cause reproductive toxicity in a two-generation study in rats. Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

OTHELLO

Version 6 / GB 102000011533

10/15 Revision Date: 12.12.2024 Print Date: 22.01.2025

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits. Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

The toxicological data refer to a similar formulation.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 13.5 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 15.8 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 32 µg/l Growth rate; Exposure time: 72 h
	EC50 (Lemna gibba (gibbous duckweed)) 0.13 mg/l Growth rate; Exposure time: 7 d
12.2 Persistence and degrada	ıbility
Biodegradability	Diflufenican: Not rapidly biodegradable Mesosulfuron-methyl: Not rapidly biodegradable Iodosulfuron-methyl-sodium: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable
Кос	Diflufenican: Koc: 3417 Mesosulfuron-methyl: Koc: 347; log Koc: 2.54 lodosulfuron-methyl-sodium: Koc: 45 Mefenpyr-diethyl: Koc: 625

amended

amended	
OTHELLO Version 6 / GB 102000011533	11/15 Revision Date: 12.12.2024 Print Date: 22.01.2025
Bioaccumulation	Diflufenican: Bioconcentration factor (BCF) 1,596 Does not bioaccumulate. Mesosulfuron-methyl: On the basis of the partition coefficient n-octanol/water (log pOW) no accumulation in organisms is expected. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Diflufenican: Slightly mobile in soils Mesosulfuron-methyl: Moderately mobile in soils Iodosulfuron-methyl-sodium: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
12.5 Results of PBT and vPv	'B assessment
PBT and vPvB assessment	Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). lodosulfuron-methyl-sodium: This substance is not considered to be persistent bioaccumulative and toxic (PBT). This substance is not considered to be

 persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

 12.6 Endocrine disrupting properties Assessment

 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects Additional ecological The ecological data refer to a similar formulation. information

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 I or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling.

OTHELLO Version 6 / GB

102000011533

12/15 Revision Date: 12.12.2024 Print Date: 22.01.2025

Dispose of empty and cleaned packaging safely. Large containers (> 25 I or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(MESOSULFURON; POLYGLYCOLETHER SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON; POLYGLYCOLETHER SOLUTION) 9 III
YES
3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON; POLYGLYCOLETHER SOLUTION)
9 III YES
2000
3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MESOSULFURON; POLYGLYCOLETHER SOLUTION) 9 III YES 3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

OTHELLO Version 6 / GB

102000011533

13/15 Revision Date: 12.12.2024 Print Date: 22.01.2025

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

OTHELLO	14/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

H319 H335 H336 H350 H400 H410 H411	Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.		
Abbreviations	Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE CAS-Nr. Conc. EC-No. ECX EH40 WEL EINECS ELINCS EN EU IATA IBC ICX IMDG LCX LOEC/LOEL MARPOL N.O.S. NOEC/NOEL OECD RID SI TWA UN	Acute toxicity estimate Chemical Abstracts Service number Concentration European community number Effective concentration to x % Worker Exposure Limit European inventory of existing commercial substances European list of notified chemical substances European Standard European Union International Air Transport Association International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) Inhibition concentration to x % International Maritime Dangerous Goods Lethal dose to x % Lowest observed effect concentration/level MARPOL: International Convention for the prevention of marine pollution from ships Not otherwise specified No observed effect concentration/level Organization for Economic Co-operation and Development Regulations concerning the International Carriage of Dangerous Goods by Rail Statutory Instrument Time weighted average United Nations		
WHO	World health organisation		

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of

OTHELLO	15/15
Version 6 / GB	Revision Date: 12.12.2024
102000011533	Print Date: 22.01.2025

information or advice contained in this safety data sheet.

Reason for Revision:	Safety Data Sheet according to Regulation (EU) No. 2020/878. Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation. The following sections have been revised: Section 1: Chemical Product and Company Information.
	Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection.
Changes since the last version	are highlighted in the margin. This version replaces all previous

versions.