



SEKATOR OD

Version 5 / GB
102000008346

1/15
Revision Date: 21.04.2023
Print Date: 21.04.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SEKATOR OD
Product code (UVP) 06281230, 85394827
UFI 3QN0-503Q-F009-85GX (for Northern Ireland only) (voluntary notification)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

FOR IRELAND & NORTHERN IRELAND: Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
Co. Dublin
A94 H2K7
Ireland

Telephone +353 1 216 3300

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

For Medical Professionals: You can also contact the relevant NPIS.
For Members of the Public: You can also contact NHS111 (for GB) or your local GP (for Northern Ireland).

National Poisons Information Centre Dublin +353-1-809 2166 (available from 8 am to 10 pm every day)



SEKATOR OD

Version 5 / GB
102000008346

2/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Amidosulfuron
- Iodosulfuron-methyl-sodium
- Mefenpyr-diethyl
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene



Signal word: Warning

Hazard statements

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-

**SEKATOR OD**Version 5 / GB
102000008346

3/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Oil dispersion (OD)

Amidosulfuron-sodium.Iodosulfuron-methyl-sodium/Mefenpyr-diethyl 106:25:250 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Amidosulfuron-sodium	596120-00-2 01-0000019399-56-0000	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.4
Iodosulfuron-methyl-sodium	144550-36-7		2.21
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	22.1
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 25
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Carc. 1B, H350 Aquatic Chronic 2, H411	> 2.5 – < 5
Docusate sodium	577-11-7 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 5 – < 15
Fatty alcohol ethoxylate alkyl ether	1492044-51-5	Eye Dam. 1, H318 Aquatic Chronic 2, H411	> 2.5 – < 10
1,2,4-trimethylbenzene	95-63-6	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332	> 1.0 – < 5

**SEKATOR OD**Version 5 / GB
102000008346

4/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

		Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	
Sodium carbonate	497-19-8 01-2119485498-19-XXXX		<= 1.0
Methanol	67-56-1 01-2119433307-44-XXXX		> 0.1 – < 0.5

Further information

Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)
----------------------------	-------------	-------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Somnolence Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.
-----------------	--



SEKATOR OD

Version 5 / GB
102000008346

5/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote. Contraindication: derivatives of adrenaline.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
Additional advice	Check also for any local site procedures.

**SEKATOR OD**Version 5 / GB
102000008346

6/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
1,2,4-trimethylbenzene	95-63-6	125 mg/m ³ /25 ppm (TWA)	2007	EH40 WEL
Sodium carbonate	497-19-8	10 mg/m ³ (TWA)		OES BCS*
Methanol	67-56-1	266 mg/m ³ /200 ppm (TWA)	12 2011	EH40 WEL
Methanol	67-56-1	333 mg/m ³ /250 ppm (STEL)	12 2011	EH40 WEL
Methanol	67-56-1	200 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"



SEKATOR OD

Version 5 / GB
102000008346

7/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	yellow to light brown
Odour	aromatic
Odour Threshold	No data available

**SEKATOR OD**Version 5 / GB
102000008346

8/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	83 °C
Auto-ignition temperature	No data available
Ignition temperature	440 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	9.5 - 11.0 (10 %) (23 °C) (deionized water)
Viscosity, dynamic	120 - 300 mPa.s (20 °C) Velocity gradient 20 /s 100 - 250 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	ca. 113 mm ² /s (40 °C) Shear rate of 100/sec ca. 203 mm ² /s (40 °C) Shear rate of 20/sec
Water solubility	dispersible
Partition coefficient: n-octanol/water	Amidosulfuron: log Pow: -1.56 (22 °C) (pH 7) Iodosulfuron-methyl-sodium: log Pow: -0.7 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Surface tension	30.7 mN/m (25 °C) Determined in the undiluted form.
Vapour pressure	No data available
Density	ca. 1.13 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available

**SEKATOR OD**Version 5 / GB
102000008346

9/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

Other physico-chemical properties Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity** Stable under normal conditions.
- 10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.
- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

- Acute oral toxicity** LD50 (Rat) > 5,000 mg/kg
- Acute inhalation toxicity** LC50 (Rat) > 1.339 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
Highest attainable concentration.
- Acute dermal toxicity** LD50 (Rat) > 4,000 mg/kg
- Skin corrosion/irritation** No skin irritation (Rabbit)
- Serious eye damage/eye irritation** Irritating to eyes. (Rabbit)
- Respiratory or skin sensitisation** Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test
Skin: Sensitising (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Amidosulfuron: Based on available data, the classification criteria are not met.
Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.
Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Amidosulfuron did not cause specific target organ toxicity in experimental animal studies.
Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.

**SEKATOR OD**Version 5 / GB
102000008346

10/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice.
Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats.
Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Amidosulfuron did not cause developmental toxicity in rats and rabbits.
Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

11.2 Information on other hazards**Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 8.59 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 14.6 mg/l Exposure time: 48 h
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 9.97 mg/l Growth rate; Exposure time: 72 h IC50 (Lemna gibba (gibbous duckweed)) 0.0187 mg/l Growth rate; Exposure time: 7 d

**SEKATOR OD**Version 5 / GB
102000008346

11/15

Revision Date: 21.04.2023
Print Date: 21.04.2023**12.2 Persistence and degradability**

Biodegradability Amidosulfuron:
Not rapidly biodegradable
Iodosulfuron-methyl-sodium:
Not rapidly biodegradable
Mefenpyr-diethyl:
Not rapidly biodegradable

Koc Amidosulfuron: Koc: 36
Iodosulfuron-methyl-sodium: Koc: 45
Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation Amidosulfuron:
Does not bioaccumulate.
Iodosulfuron-methyl-sodium:
Does not bioaccumulate.
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Amidosulfuron: Mobile in soils
Iodosulfuron-methyl-sodium: Mobile in soils
Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part



SEKATOR OD

Version 5 / GB
102000008346

12/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.



SEKATOR OD

Version 5 / GB
102000008346

13/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

	(IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

**SEKATOR OD**Version 5 / GB
102000008346

14/15

Revision Date: 21.04.2023
Print Date: 21.04.2023**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any



SEKATOR OD

Version 5 / GB
102000008346

15/15

Revision Date: 21.04.2023
Print Date: 21.04.2023

appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. Section 3: Composition / Information on Ingredients. The following sections have been revised: Section 6. Accidental Release Measures. Section 7: Handling and Storage. Section 8: Exposure Controls / Personal Protection.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--