

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

1/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** SILTRA XPRO  
**Product code (UVP)** 79626940  
**UFI** EFG0-900G-S003-WAY0 (for Northern Ireland only)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
CB4 0WB Cambridge  
United Kingdom

**Telephone** +44(0)1223 226500

**Telefax** +44(0)1223 426240

**FOR IRELAND & NORTHERN IRELAND:** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
Co. Dublin  
A94 H2K7  
Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

**1.4 Emergency telephone no.**

**Emergency telephone no.** 0330 678 3382 (24 hr)

For Medical Professionals:  
You can also contact the relevant NPIS.

For Members to the Public:  
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)

National Poisons Information Centre UK: 0344 892 0111  
National Poisons Information Centre Dublin: +353 1 809 2166

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

2/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4

H302 Harmful if swallowed.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Short-term (acute) aquatic hazard: Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Bixafen
- Prothioconazole
- N,N-Dimethyl decanamide



**Signal word:** Warning

**Hazard statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

3/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

P410 Protect from sunlight.  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

No additional hazards known beside those mentioned.

Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Chemical nature**

Emulsifiable concentrate (EC)  
Bixafen/Prothioconazole 60:200 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Bixafen	581809-46-3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5.90
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	19.60
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Aquatic Chronic 3, H412	> 1.00 – < 25.00
N,N-Dimethyl decanamide	14433-76-2 01-2119485027-36-XXXX	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	>= 25

**Further information**

Bixafen	581809-46-3	M-Factor: 10 (acute)
---------	-------------	----------------------

**SILTRA XPRO**

Version 11 / GB  
102000020385

**4/14**

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

---

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

5/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released:., Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

## SILTRA XPRO

Version 11 / GB  
102000020385

6/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

<b>Requirements for storage areas and containers</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	Coex EVOH (1000L IBC)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bixafen	581809-46-3	0.6 mg/m <sup>3</sup> (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup> (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**SILTRA XPRO**

Version 11 / GB  
102000020385

7/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

**Skin and body protection**      Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid, clear to slightly turbid
<b>Colour</b>	brown
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>Melting point/ range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flammability</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	> 100 °C
<b>Auto-ignition temperature</b>	No data available
<b>Ignition temperature</b>	375 °C
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	3.0 - 5.0 (1 %) (23 °C) (deionized water)
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	Bixafen: log Pow: 3.3 (40 °C)  Prothioconazole: log Pow: 3.82 (20 °C) (pH 7) 2-Ethylhexanol propylene ethyleneglycol ether: No data available  N,N-Dimethyldecanamide: log Pow: 2.46

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

8/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.02 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available

**9.2 Other information**

<b>Explosivity</b>	Not explosive
<b>Oxidizing properties</b>	No oxidizing properties
<b>Evaporation rate</b>	No data available
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>	LD50 (Rat) > 300 - < 2,000 mg/kg
<b>Acute inhalation toxicity</b>	ATE (Mix) > 5 mg/l Calculation method During intended and foreseen applications, no respirable aerosol is formed.  Irritating to respiratory system. The value mentioned relates to N,N-dimethylacetamide.



**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

9/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)
<b>Serious eye damage/eye irritation</b>	Irritating to eyes. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Bixafen: Based on available data, the classification criteria are not met.

Prothioconazole: Based on available data, the classification criteria are not met.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Bixafen did not cause human relevant specific target organ toxicity in experimental animal studies.

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Bixafen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

2-Ethylhexanol propylene ethyleneglycol ether is not considered mutagenic.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

**Assessment carcinogenicity**

Bixafen was not carcinogenic in lifetime feeding studies in rats and mice.

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

N,N-Dimethyldecanamide is not considered carcinogenic.

**Assessment toxicity to reproduction**

Bixafen did not cause reproductive toxicity in a two-generation study in rats.

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

**Assessment developmental toxicity**

Bixafen did not cause developmental toxicity in rats and rabbits.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: This information is not available.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

**Further information**

No further toxicological information is available.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

10/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

**11.2 Information on other hazards**

**Endocrine disrupting properties**

**Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 1.34 mg/l  
Exposure time: 96 h

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 4.98 mg/l  
Exposure time: 48 h

**Toxicity to aquatic plants**

IC50 (Raphidocelis subcapitata (freshwater green alga)) 3.81 mg/l  
Growth rate; Exposure time: 72 h  
EC10 (Skeletonema costatum) 0.01427 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient prothioconazole.  
ErC50 (Skeletonema costatum) 0.03278 mg/l  
Exposure time: 72 h  
The value mentioned relates to the active ingredient prothioconazole.

**12.2 Persistence and degradability**

**Biodegradability**

Bixafen:  
Not rapidly biodegradable  
Prothioconazole:  
Not rapidly biodegradable  
2-Ethylhexanol propylene ethyleneglycol ether:  
Not readily biodegradable.  
N,N-Dimethyldecanamide:  
rapidly biodegradable

**Koc**

Bixafen: Koc: 3869  
Prothioconazole: Koc: 1765  
2-Ethylhexanol propylene ethyleneglycol ether: No data available

**12.3 Bioaccumulative potential**

**Bioaccumulation**

Bixafen: Bioconcentration factor (BCF) 695  
Does not bioaccumulate.  
Prothioconazole: Bioconcentration factor (BCF) 19  
Does not bioaccumulate.  
2-Ethylhexanol propylene ethyleneglycol ether:  
No data available  
N,N-Dimethyldecanamide:  
Does not bioaccumulate.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

11/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

**12.4 Mobility in soil**

**Mobility in soil**                      Bixafen: Slightly mobile in soils  
                                                 Prothioconazole: Slightly mobile in soils  
                                                 2-Ethylhexanol propylene ethyleneglycol ether: No data available  
                                                 N,N-Dimethyldecanamide: Slightly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment**      Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
                                                 Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
                                                 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable  
                                                 N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Endocrine disrupting properties**

**Assessment**                              The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

**Additional ecological information**      No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product**                                      In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**Contaminated packaging**              Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
                                                 Add washings to sprayer at time of filling.  
                                                 Dispose of empty and cleaned packaging safely.  
                                                 Follow advice on product label and/or leaflet.

---

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number  
14.2 Proper shipping name

**3082**  
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

12/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

	(BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

**UK 'Carriage' Regulations**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to IMO instruments**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

**13/14**

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

**Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)  
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)  
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

**Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)  
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009  
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)  
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits  
Control of Pesticide Regulations 1986  
Dangerous Substances and Explosive Atmospheres Regulations 2002

**Waste Treatment**

Environmental Protection Act 1990, Part II  
Environmental Protection (Duty of Care) Regulations 1991  
The Waste Management Licensing Regulations 1994 (as amended)  
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)  
Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)  
Water Resources Act 1991  
Anti-Pollution Works Regulations 1999

**Further information**

WHO-classification: III (Slightly hazardous)

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended

**SILTRA XPRO**

Version 11 / GB  
102000020385

**14/14**

Revision Date: 12.12.2024  
Print Date: 22.01.2025

EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification.

Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.