



## SILVRON XPRO

Version 3 / GB  
102000024143

1/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** SILVRON XPRO  
**Product code (UVP)** 85763334  
**UFI** WWG0-T0FG-900K-61VA (for Northern Ireland only)  
**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
CB4 0WB Cambridge  
United Kingdom  
**Telephone** +44(0)1223 226500  
**Telefax** +44(0)1223 426240  
**FOR IRELAND & NORTHERN IRELAND:** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
Co. Dublin  
A94 H2K7  
Ireland  
**Telephone** +353 1 216 3300  
**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 0330 678 3382 (24 hr)  
For Medical Professionals:  
You can also contact the relevant NPIS.  
  
For Members to the Public:  
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)  
  
National Poisons Information Centre UK: 0344 892 0111  
National Poisons Information Centre Dublin: +353 1 809 2166



## SILVRON XPRO

Version 3 / GB  
102000024143

2/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin irritation: Category 2

H315 Causes skin irritation.

Skin sensitisation: Category 1B

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Long-term (chronic) aquatic hazard: Category 2

H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Bixafen
- Fluopyram
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene
- N,N-Dimethyl decanamide



**Signal word:** Danger

#### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P261 Avoid breathing spray.



## SILVRON XPRO

Version 3 / GB  
102000024143

3/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
+ P338  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 12.5 %

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Emulsifiable concentrate (EC)  
Bixafen + Fluopyram EC 200 (100+100 g/L)

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Bixafen	581809-46-3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.8
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	9.8
Solvent Naphtha	64742-94-5	Asp. Tox. 1, H304	> 10 – < 25



**SILVRON XPRO**

Version 3 / GB  
102000024143

4/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

(petroleum), heavy aromatic, <1% naphthalene	01-2119451097-39-XXXX	Aquatic Chronic 2, H411	
N,N-Dimethyl decanamide	14433-76-2 01-2119485027-36-XXXX	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	> 25
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Aquatic Chronic 3, H412	> 1 – < 25

**Further information**

Bixafen	581809-46-3	M-Factor: 10 (acute)
---------	-------------	----------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Remove contaminated clothing immediately and dispose of safely. Move out of dangerous area. Place and transport victim in stable position (lying sideways).
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur:, Headache, Nausea, Dizziness, Somnolence  Aspiration may cause pulmonary oedema and pneumonitis.  Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.  Inhalation may provoke the following symptoms:, Cough, Shortness of breath, Cyanosis, Fever  Symptoms and hazards refer to the solvent.
-----------------	--

**4.3 Indication of any immediate medical attention and special treatment needed**



## SILVRON XPRO

Version 3 / GB  
102000024143

5/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

---

<b>Risks</b>	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
<b>Treatment</b>	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote. Contraindication: derivatives of adrenaline.

---

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---



## SILVRON XPRO

Version 3 / GB  
102000024143

6/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

<b>Requirements for storage areas and containers</b>	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	Coex HDPE/EVOH/HDPE
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bixafen	581809-46-3	0.6 mg/m <sup>3</sup> (TWA)		OES BCS*
Fluopyram	658066-35-4	0.34 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

##### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.



## SILVRON XPRO

Version 3 / GB  
102000024143

7/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	Liquid, clear to slightly turbid
<b>Colour</b>	yellow to brown
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>Melting point/ range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flammability</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	134 °C (1,014 hPa),closed cup
<b>Auto-ignition temperature</b>	350 °C
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	6.0 - 8.5 (1 %) (23 °C) (deionized water)
<b>Viscosity, dynamic</b>	No data available



## SILVRON XPRO

Version 3 / GB  
102000024143

8/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

<b>Viscosity, kinematic</b>	16.91 mm <sup>2</sup> /s (40 °C) Shear rate of 20/sec
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Bixafen: log Pow: 3.3 (40 °C) Fluopyram: log Pow: 3.3 N,N-Dimethyldecanamide: log Pow: 2.46
<b>Surface tension</b>	25 mN/m (25 °C)
<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.02 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available

### 9.2 Other information

<b>Explosivity</b>	Not explosive
<b>Oxidizing properties</b>	No oxidizing properties
<b>Evaporation rate</b>	No data available
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008





## SILVRON XPRO

Version 3 / GB  
102000024143

9/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

<b>Acute oral toxicity</b>	ATE (Mix) > 2,000 mg/kg Calculation method
<b>Acute inhalation toxicity</b>	ATE (Mix) > 5 mg/l Calculation method
<b>Acute dermal toxicity</b>	Irritating to respiratory system. The data refer to N,N-Dimethyldecanamid. ATE (Mix) > 2,000 mg/kg Calculation method
<b>Skin corrosion/irritation</b>	Irritating to skin. The information is derived from the properties of the individual components.
<b>Serious eye damage/eye irritation</b>	Irritating to eyes. The information is derived from the properties of the individual components.
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity – single exposure

Bixafen: Based on available data, the classification criteria are not met.  
Fluopyram: Based on available data, the classification criteria are not met.  
N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

### Assessment STOT Specific target organ toxicity – repeated exposure

Bixafen did not cause human relevant specific target organ toxicity in experimental animal studies.  
Fluopyram did not cause specific target organ toxicity in experimental animal studies.  
N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Bixafen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

### Assessment carcinogenicity

Bixafen was not carcinogenic in lifetime feeding studies in rats and mice.  
Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.  
Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.  
The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans.  
N,N-Dimethyldecanamide is not considered carcinogenic.

### Assessment toxicity to reproduction

Bixafen did not cause reproductive toxicity in a two-generation study in rats.  
Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity.  
N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

### Assessment developmental toxicity

Bixafen did not cause developmental toxicity in rats and rabbits.



## SILVRON XPRO

Version 3 / GB  
102000024143

10/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.  
N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Further information

No data is available on the product itself.  
The information is derived from the properties of the individual components.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.42 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 2.27 mg/l Exposure time: 48 h
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 1.88 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 1.22 mg/l Growth rate; Exposure time: 72 h

### 12.2 Persistence and degradability

<b>Biodegradability</b>	Bixafen: Not rapidly biodegradable Fluopyram: Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable
-------------------------	--

<b>Koc</b>	Bixafen: Koc: 3869 Fluopyram: Koc: 279
------------	---

### 12.3 Bioaccumulative potential

<b>Bioaccumulation</b>	Bixafen: Bioconcentration factor (BCF) 695 Does not bioaccumulate. Fluopyram: Bioconcentration factor (BCF) 18 Does not bioaccumulate. N,N-Dimethyldecanamide:
------------------------	--



## SILVRON XPRO

Version 3 / GB  
102000024143

11/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

Does not bioaccumulate.

### 12.4 Mobility in soil

#### Mobility in soil

Bixafen: Slightly mobile in soils  
Fluopyram: Moderately mobile in soils  
N,N-Dimethyldecanamide: Slightly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

#### Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Additional ecological information

No further ecological information is available.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

#### Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.  
Return large containers to supplier.  
Follow advice on product label and/or leaflet.

---

## SECTION 14: TRANSPORT INFORMATION

### ADR/RID/ADN

14.1 UN number

3082



## SILVRON XPRO

Version 3 / GB  
102000024143

12/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### IMDG

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

### UK 'Carriage' Regulations

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent



## SILVRON XPRO

Version 3 / GB  
102000024143

13/14

Revision Date: 12.12.2024  
Print Date: 22.01.2025

amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

### Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

### Further information

WHO-classification: III (Slightly hazardous)

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number



## SILVRON XPRO

Version 3 / GB  
102000024143

14/14  
Revision Date: 12.12.2024  
Print Date: 22.01.2025

ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--