# **SKYWAY 285 XPRO**

Version 5 / GB 102000024998 1/15 Revision Date: 12.12.2024 Print Date: 29.01.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier			
Trade name	SKYWAY 285 XPRO		
Product code (UVP)	79991908		
UFI	Q9H3-G0ED-J000-WFVH (for Northern Ireland only)		
1.2 Relevant identified uses	of the substance or mixture and uses advised against		
Use	Fungicide		
1.3 Details of the supplier of Supplier	the safety data sheet Bayer CropScience Limited 230 Cambridge Science Park Milton Road CB4 0WB Cambridge United Kingdom		
Telephone	+44(0)1223 226500		
Telefax	+44(0)1223 426240		
FOR IRELAND & NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland		
Telephone	+353 1 216 3300		
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com		
1.4 Emergency telephone no			
Emergency telephone no.	0330 678 3382 (24 hr)		
	For Medical Professionals: You can also contact the relevant NPIS.		
	For Members to the Public: You can contact NHS111 (for GB) or your local GP (for Northern Ireland)		
	National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166		

## SKYWAY 285 XPRO

Version 5 / GB 102000024998 2/15 Revision Date: 12.12.2024 Print Date: 29.01.2025

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4 H302 Harmful if swallowed.

Skin sensitisation: Category 1 H317 May cause an allergic skin reaction.

Specific target organ toxicity - single exposure: Category 3 H335 May cause respiratory irritation.

Reproductive toxicity: Category 2 H361d Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Bixafen
- Prothioconazole
- Tebuconazole
- N,N-Dimethyl decanamide

#### Signal word: Warning

#### **Hazard statements**

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for
	use.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**SKYWAY 285 XPRO** 

 Version 5 / GB
 Revision Date: 12.12.2024

 102000024998
 Print Date: 29.01.2025

3/15

P410 Protect from sunlight. P501 Dispose of contents/cc

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### **Chemical nature**

Emulsifiable concentrate (EC) Bixafen/Prothioconazole/Tebuconazole 75:110:100 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Bixafen	581809-46-3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	7.4
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	10.8
Tebuconazole	107534-96-3	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.8
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Acute Tox. 4, H332 Aquatic Chronic 3, H412	> 1 - < 25
N,N-Dimethyl decanamide	14433-76-2	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 25

# SKYWAY 285 XPRO

Version 5 / GB 102000024998 **4/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

	01-2119485027-36	6-XXXX STOT SE 3, H335 Aquatic Chronic 3, H412	
Further information			
Bixafen	581809-46-3 M-Fa	ctor: 10 (acute)	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **Particle characteristics**

This substance/ mixture does not contain nanoforms

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures **General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately. Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at Eye contact least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists. Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately. 4.2 Most important symptoms and effects, both acute and delayed No symptoms known or expected. Symptoms 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically. In case of ingestion gastric lavage should be Treatment considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

# **SKYWAY 285 XPRO**

SKYWAY 285 XPRO	5/15
Version 5 / GB	Revision Date: 12.12.2024
102000024998	Print Date: 29.01.2025

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)	
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.	
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.	

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures			
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.		
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).		
6.3 Methods and materials for containment and cleaning up			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.		
Additional advice	Check also for any local site procedures.		
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.		

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling Use only in area provided with appropriate exhaust ventilation. Advice on safe handling **Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). 7.2 Conditions for safe storage, including any incompatibilities Store in original container. Keep containers tightly closed in a dry, cool **Requirements for storage** areas and containers and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.

#### Suitable materials Coextruded containers with an internal barrier layer made of ethylene

# SKYWAY 285 XPRO

Version 5 / GB 102000024998 6/15 Revision Date: 12.12.2024 Print Date: 29.01.2025

	vinyl alcohol copolymer (EVOH)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bixafen	581809-46-3	0.6 mg/m3 (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.		
Hand protection	breakthrough time which are Also take into consideration the product is used, such as contact time. Wash gloves when contamin inside, when perforated or w	ons regarding permeability and e provided by the supplier of the gloves. the specific local conditions under which the danger of cuts, abrasion, and the nated. Dispose of when contaminated when contamination on the outside cannot equently and always before eating, ne toilet. Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.	
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).		
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective		

## **SKYWAY 285 XPRO**

Version 5 / GB 102000024998 7/15 Revision Date: 12.12.2024 Print Date: 29.01.2025

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly

contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form	clear to slightly turbid, Liquid
Colour	brown
Odour	aromatic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 60 °C Test conducted with a similar formulation.
Auto-ignition temperature	No data available
Self-accelarating decomposition temperature (SADT)	No data available
рН	4.5 - 6.5 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Water solubility	No data available
Partition coefficient: n- octanol/water	Bixafen: log Pow: 3.3 (40 °C)
	Tebuconazole: log Pow: 3.7
	Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)
	N,N-Dimethyldecanamide: log Pow: 2.46
Vapour pressure	No data available

# **SKYWAY 285 XPRO**

Version 5 / GB 102000024998 8/15 Revision Date: 12.12.2024 Print Date: 29.01.2025

Density	1.02 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	No data available
Oxidizing properties	No data available
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity 10.2 Chemical stability	Stable under normal conditions. Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat)  550 - 2,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed. Test conducted with a similar formulation.
Acute dermal toxicity	Irritating to respiratory system. The value mentioned relates to N,N-dimethylacetamide. LD50 (Rat) >2,000 mg/kg

SKYWAY 285 XPRO

Version 5 / GB 102000024998 **9/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

	Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

#### Assessment STOT Specific target organ toxicity - single exposure

Bixafen: Based on available data, the classification criteria are not met. Prothioconazole: Based on available data, the classification criteria are not met. Tebuconazole: Based on available data, the classification criteria are not met. N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Bixafen did not cause human relevant specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies. N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Bixafen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

#### Assessment carcinogenicity

Bixafen was not carcinogenic in lifetime feeding studies in rats and mice.

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice. Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. N,N-Dimethyldecanamide is not considered carcinogenic.

#### Assessment toxicity to reproduction

Bixafen did not cause reproductive toxicity in a two-generation study in rats.

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

#### Assessment developmental toxicity

Bixafen did not cause developmental toxicity in rats and rabbits.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

**SKYWAY 285 XPRO** 

Version 5 / GB 102000024998 **10/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.55 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 5.5 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia (water flea)): 0.01 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient tebuconazole.
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.93 mg/l Growth rate; Exposure time: 72 h Test conducted with a similar formulation.
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
12.2 Persistence and degrada	ability
Biodegradability	Bixafen: Not rapidly biodegradable Tebuconazole: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable
Кос	Bixafen: Koc: 3869 Tebuconazole: Koc: 769 Prothioconazole: Koc: 1765

SKYWAY 285 XPRO

Version 5 / GB 102000024998 **11/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

#### 12.3 Bioaccumulative potential Bioaccumulation Bixafen: Bioconcentration factor (BCF) 695 Does not bioaccumulate. Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate. 12.4 Mobility in soil Mobility in soil Bixafen: Slightly mobile in soils Tebuconazole: Slightly mobile in soils Prothioconazole: Slightly mobile in soils N,N-Dimethyldecanamide: Slightly mobile in soils 12.5 Results of PBT and vPvB assessment PBT and vPvB assessment Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 12.6 Endocrine disrupting properties Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Additional ecological The ecological data refer to a similar formulation. No further ecological information is available. information

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 I or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling.

**SKYWAY 285 XPRO** 

Version 5 / GB 102000024998 **12/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/ADN

14.1 UN number 14.2 Proper shipping name	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
14.3 Transport hazard class(es) 14.4 Packing group	9 III YES
14.5 Environm. Hazardous Mark Hazard no. Tunnel Code	90 -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III YES
IATA 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III
<ul> <li>14.5 Environm. Hazardous Mark</li> <li>UK 'Carriage' Regulations</li> <li>14.1 UN number</li> <li>14.2 Proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>14.5 Environm. Hazardous Mark</li> <li>Emergency action code</li> </ul>	YES <b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III YES 3Z

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

## SKYWAY 285 XPRO

Version 5 / GB 102000024998 **13/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

#### Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

#### **Further information**

WHO-classification: II (Moderately hazardous)

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
------	-----------------------

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361d Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

# SKYWAY 285 XPRO 14/15 Version 5 / GB Revision Date: 12.12.2024 102000024998 Print Date: 29.01.2025

H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN EU	European Standard
IATA	European Union International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
ibe	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x $\%$
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID SI	Regulations concerning the International Carriage of Dangerous Goods by Rail
	Statutory Instrument
TWA UN	Time weighted average United Nations
WHO	World health organisation
	wond health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

#### Reason for Revision:

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients.

# SKYWAY 285 XPRO

Version 5 / GB 102000024998 **15/15** Revision Date: 12.12.2024 Print Date: 29.01.2025

Changes since the last version are highlighted in the margin. This version replaces all previous versions.